

Aurora R-32 2 Zone Multi Split With Drain Pan Heater 2MXTH18AVJU9

### **FEATURES**

- 2 Zone enhanced Capacity Multi-Zone
- Night Quiet Mode
- Automatic Defrost
- Quick Warming Function
- Automatic Defrosting
- Priority Room Setting
- Cool/Heat mode lock
- Self Diagnosis
- Wiring error check function
- Anti-corrosion treatment of outdoor
- heat exchanger
- Built in Drain Pan Heater

#### **BENEFITS**

- PAM control
- Energy efficient operation
- Quiet outdoor unit operation
- Unit perfroms self diagnosis and indicates using LED lights
- 12 Year Limited Parts Warranty w/ online registration



Submittal Date: 11/3/2025 11:17:37 AM

Page 1 of 0



Aurora R-32 2 Zone Multi Split With Drain Pan Heater 2MXTH18AVJU9

EFFICIENCY				PERFORMANCE				
	SEER2	EER2	HSPF2	COP	COOLING: HEATING:		TING:	
Non-Ducted:	21.00	12.00	10.00		Rated (Btu/hr):	17,200	Rated (Btu/hr):	18,000
Ducted:					Operating Range:	14°F - 115°F	Operating Range:	-13°F - 75°F
Mixed:	10.50	6.00	5.00	0	Rated Cooling Conditions:		Rated Heating Conditions:	
					Indoor (°F DB/DB): 80 / 67 Ambient (°F DB/WB): 95 / 75		Indoor (°F DB/WB): 70 / 60 Ambient (°F DB/WB): 47 / 43	

ELECTRICAL		PIPING			
Power Supply (V/Hz/Ph): *See Engineering Manuals for other voltages.	*208-230 / 60 / 1	Max. System Piping Length: (feet):		Gas Conn. (inch):	3/8
System MCA: (Min.circuit amps)	19.6	Max. Interunit Piping Length: (feet):		Liquid Conn. (inch):	1/4
System MFA: (Max.fuse amps)	20.0	Max. Height Difference IDU to ODU (feet):	49.25	Drain Conn. (inch):	5/8
Compressor RLA: (Rated load amps)	17.0	Max. Height Difference IDU to IDU (feet):	24.6		
Outdoor fan motor FLA: (Full load amps)		Refrigerant Pre-Charged Pipe Length (ft):	98.4		
Outdoor fan motor W: (Rated output watts)	150.0				

SPECIFICATIONS					
Compressor Type: Swing		Compressor Stage:	Inverter		
Refrigerant Type:	R-32	Refrigerant Oil:	PVE (FVC50K)		
Factory Charge (Lbs):	4.9	Additional Refrigerant Charge (Ozs/ft):	0.22		
COOLING - Airflow Rate (cfm):		HEATING - Airflow Rate (cfm):			
High:	2,462	High:	2,140		
Med:	2,112	Med:	2,140		
Low:	1,911	Low:	1,070		
Sound Level (dBA):	52	Sound Level (dBA):	54		
Dimensions (HxWxD) (in):	29-1/2 x 34-1/4 x 12-5/8	Net Weight (lb):	140		

Daikin North America LLC, 19001 Kermier Rd, Waller, TX 77484

www.daikinac.com www.daikincomfort.com

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)


Daikin City Generated Submittal Data



Aurora R-32 2 Zone Multi Split With Drain Pan Heater 2MXTH18AVJU9

# **DIMENSIONAL DRAWING**

# 2MXM18AVJU9, 2MXT18AVJU9, 2MXTH18AVJU9



3D149807



Aurora R-32 2 Zone Multi Split With Drain Pan Heater 2MXTH18AVJU9

## **ACCESSORIES**

PART NUMBER	DESCRIPTION	INCLUDED
KEH064A41	Drain Pan Heater	No
KKG063A44	Back Protection Wire Net	No
KKP937A4	Drain Plug for OD Unit	Yes
KPS063A41	Snow hood (intake side plate) (15, 18 & 24)	No
KPS063A44	Snow hood (intake rear plate) (15,18 & 24)	No
KPS063A47	Snow hood (outlet) (15, 18 & 24)	No
KPW063B4	Air direction adjustment grille	No

Submittal Date: 11/3/2025 11:17:37 AM

Page 4 of 4