



Submittal Data Sheet

Daikin ATMOSPHERA 2.0-Ton, Heat Pump, Wall Mounted IDU
FTXM24WVJU9

FEATURES

- Powerful Mode allows for quickly reaching desired room temp
- 3-D Airflow
- Quiet Operation
- Hybrid Cooling
- Weekly Timer function

BENEFITS

- 12 year limited parts and compressor warranty





Submittal Data Sheet

Daikin ATMOSPHERA 2.0-Ton, Heat Pump, Wall Mounted IDU
FTXM24WVJU9

PERFORMANCE

Indoor Unit Model No.	FTXM24WVJU9	Indoor Unit Name:	Daikin ATMOSPHERA 2.0-Ton, Heat Pump, Wall Mounted IDU
Type:	Wall Mounted	Rated Cooling Conditions:	Indoor (°F DB/WB): 80 / 67 Ambient (°F DB/WB): 95 / 75
Rated Cooling Capacity (Btu/hr):	21,600	Rated Heating Conditions:	Indoor (°F DB/WB): 70 / 60 Ambient (°F DB/WB): 47 / 43
Sensible Capacity (Btu/hr):		Rated Piping Length(ft):	25
Cooling Input Power (kW):		Rated Height Separation (ft):	0
Rated Heating Capacity (Btu/hr):	24,000		

INDOOR UNIT DETAILS

Power Supply (V/Hz/Ph):	208/230 / 60 / 1	Airflow Rate (H/M/L/SL) (CFM):	844/653/498/452
Power Supply Connections:	See Outdoor Unit for Electrical Specs	Moisture Removal (Gal/hr):	
Min. Circuit Amps MCA (A):		Gas Pipe Connection (inch):	5/8
Max Overcurrent Protection (MOP) (A):		Liquid Pipe Connection (inch):	1/4
Dimensions (HxWxD) (in):	11-3/4 x 43-5/16 x 10-13/16	Condensate Connection (inch):	5/8
Net Weight (lb):	33	Sound Pressure (H/M/L/SL) (dBA):	51/44/37/34
Ext. Static Pressure (Rated/Max) (inWg):	/	Sound Power Level (dBA):	


Submittal Data Sheet

Daikin ATMOSPHERA 2.0-Ton, Heat Pump, Wall Mounted IDU

FTXM24WVJU9

DIMENSIONAL DRAWING

FTXM24WVJU9





Submittal Data Sheet

Daikin ATMOSPHERA 2.0-Ton, Heat Pump, Wall Mounted IDU
FTXM24WVJU9

ACCESSORIES

PART NUMBER	DESCRIPTION	INCLUDED
AZAI6WSPDKC	DKN Plus Interface	No
BRC073A6	Wired Remote Controller	No
BRC944B2-A08	Wired Remote Controller kit	No
BRCW901A03	BRC944B2 CONTROL CABLE, 10FT	No
BRCW901A08	Wired Remote Controller Cord - 8m/26ft	No
DACA-CP1-1	Mini Aqua Condensate Pump	No
DACA-CP4-1	MINI WHITE PUMP KIT 100-250V	No
DTST-LTE-LA-A	Daikin One Lite (with Translation Adaptor for S21 only)	No
DTST-ONE-ADA-A	Daikin One+ Smart Thermostat for VRV, SkyAir, Single- and Multi-Zone System	No
KAF970A46	Titanium apatite photocatalytic air-purifying filter WITHOUT frame	No
KER087A41	S21 conversion connector	No
KKF910A4	Loss Prevention Chain for Wireless Controller / Holder	No
KRP928BB2S	RA Interface Adaptor for DIII-Net -	No