

Daikin Aurora R-32 1.5 Ton Heat pump outdoor unit RXP18AVJU9

FEATURES

- Inverter controlled Swing compressor with Reluctance DC motor.
- Automatic defrosting & Automatic cooling/heating change over
- Auto Restart after Power failure
- Anti-corrosion treatment on outdoor heat exchanger
- Factory charged for up to 49.2 ft of piping length
- Operation Range—Cooling (50°F 114.8°F)
- Low temperature cooling operation down to -4°F (-20°C) with wind baffle and field settings
- Operating Range Heating (-13.8°F 64.4°F)
- 12-year limited parts and compressor warranty with online registration
- 5-year limited parts warranty for commercial applications

BENEFITS

- Inverter and PAM control technologies optimize energy use, delivering efficient performance and reduced electricity consumption
- Flexible installation options--either-side drain, and factory charged for up to 49.2 ft. of piping length —simplify setup and reduce labor costs

INDOOR UNIT



OUTDOOR UNIT



Submittal Date: 11/22/2025 7:04:57 PM

Page 1 of 0



Daikin Aurora R-32 1.5 Ton Heat pump outdoor unit RXP18AVJU9

| SYSTEM PERFORMANCE | | | | |
|------------------------------------|----------------|-------------------------------|---|--|
| Rated Cooling Capacity (Btu/hr): | 17,600 | Rated Cooling Conditions: | Indoor (°F DB/WB): 80 / 67 Ambient (°F DB/WB): 95 / 75 | |
| Sensible Capacity (Btu/hr): | | Rated Piping Length(ft): | 25 | |
| Max/Min Cooling Capacity (Btu/hr): | 19,600 / 9,000 | Rated Height Difference (ft): | 0.00 | |
| Cooling Input Power (kW): | 1.680 | Heating Input Power (kW): | 2.53 | |
| Rated Heating Capacity (Btu/hr): | 21,600 | Rated Heating Conditions: | Indoor (°F DB/WB): 70 / 60 Ambient (°F DB/WB): 47 / 43 | |
| Max/Min Heating Capacity (Btu/hr): | 25,000 / 9,000 | | | |

| SYSTEM DETAILS | | | | |
|--|------|-----------------------------------|--|--|
| Refrigerant Type: | R-32 | Cooling Operation Range (°F DB): | | |
| Holding Refrigerant Charge (lbs): | 3.04 | | | |
| Additional Charge (oz/ft): | 0.22 | Max. Pipe Length (Vertical) (ft): | | |
| Pre-charge Piping (Length) (ft): | 49 | Cooling Range w/Baffle (°F DB): | | |
| Max. Pipe Length (Total) (ft): | | | | |
| Max Height Separation (Ind to Ind ft): | 0 | | | |




Daikin Aurora R-32 1.5 Ton Heat pump outdoor unit RXP18AVJU9

INDOOR UNIT DETAILS

DIMENSIONAL DRAWING - INDOOR UNIT

RXP15/18AVJU9



3D150942




Daikin Aurora R-32 1.5 Ton Heat pump outdoor unit RXP18AVJU9

OUTDOOR UNIT DETAILS

DIMENSIONAL DRAWING - OUTDOOR UNIT

RXP15/18AVJU9



3D150942



Daikin Aurora R-32 1.5 Ton Heat pump outdoor unit RXP18AVJU9

ACCESSORIES

| PART NUMBER | DESCRIPTION | INCLUDED |
|----------------|---|----------|
| KEH064A41 | Drain Pan Heater | No |
| KKG063A44 | Back Protection Wire Net | No |
| KKP937A4 | Drain Plug for OD Unit | Yes |
| KPS063A41 | Snow hood (intake side plate) (15, 18 & 24) | No |
| KPS063A44 | Snow hood (intake rear plate) (15,18 & 24) | No |
| KPS063A47 | Snow hood (outlet) (15, 18 & 24) | No |
| KPW063B4 | Air direction adjustment grille | No |

Submittal Date: 11/22/2025 7:04:57 PM Page 5 of 4